

SP 4 SEGMENT 3B

INDEX OF PLANS


SHEET No.	DESCRIPTION
1	TITLE AND LOCATION MAP
2 - 19	TYPICAL CROSS SECTIONS
20	KEY MAP AND LINE INDEX
21 - 22	PROJECT CONTROL
23 - 33	LAYOUTS
34 - 50	PROFILES AND SUPERELEVATION DIAGRAMS
51 - 108	CONSTRUCTION DETAILS
109 - 119	EROSION CONTROL PLANS AND QUANTITIES
120 - 130	CONTOUR GRADING PLANS
131 - 154	DRAINAGE PLANS, PROFILES, DETAILS AND QUANTITIES
155 - 168	SUBSURFACE DRAINAGE PLANS, PROFILES, DETAILS, & QUANTITIES
169 - 172	SANITARY SEWER PLANS, DETAILS, AND QUANTITIES
173 - 187	UTILITY PLANS, DETAILS, AND QUANTITIES
188	CONSTRUCTION AREA SIGNS
189 - 213	STAGE CONSTRUCTION PLANS
214 - 283	TRAFFIC HANDLING PLANS AND QUANTITIES
284 - 294	DETOUR PLANS AND QUANTITIES
295 - 309	PAVEMENT DELINEATION PLANS, DETAILS AND QUANTITIES
310 - 338	SIGN PLANS, DETAILS AND QUANTITIES
339 - 341	RETAINING WALL ARCHITECTURAL TREATMENT DETAILS
342 - 352	SOUND WALL PLANS, DETAILS AND QUANTITIES
353 - 384	ELECTRICAL PLANS

STRUCTURE PLANS

385 - 473	RETAINING WALL PLANS AND DETAILS
474 - 498	HILLCREST AVENUE OC LEFT (WIDEN) Br No. 28-0183L
499 - 524	HILLCREST AVENUE OC RIGHT (WIDEN) Br No. 28-0183R
525 - 553	eBART POC AT HILLCREST STATION
554 - 569	ENTRY HOUSE (eBART)
570 - 582	eBART STATION PLATFORM (eBART)
583 - 600	eBART MOW ACCESS UC

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
PROJECT PLANS FOR CONSTRUCTION ON
STATE HIGHWAY
IN CONTRA COSTA COUNTY, IN ANTIOCH
FROM 0.30 MILE WEST TO 1.46 MILES EAST
OF HILLCREST AVENUE OVERCROSSING

TO BE SUPPLEMENTED BY STANDARD PLANS DATED MAY 2006



3B

SEGMENT - 28
65% SUBMITTAL

PROJECT ENGINEER
REGISTERED CIVIL ENGINEER

PLANS APPROVAL DATE

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SET

CONTRA COSTA TRANSPORTATION AUTHORITY
2799 OAK ROAD, SUITE 100
WALNUT CREEK, CA 94597

T.Y. LIN INTERNATIONAL
2010 CROWN CANYON PIKE, SUITE 350
SAN RAMON, CA 94583

CONTRACT No. **04-1G9411**
PROJECT ID **0400021104**

Mark Thomas and Company, Inc.

MTCo		SR4 Widening Segment 3B (EA 04-1G9411, Project Number 040021104)				
		04-CC-4 PM R28.6/T30.4			3-May-11	
		Engineer's Estimate - 65% PS&E				
ITEM NO.	ITEM	DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL
1	70012	PROGRESS SCHEDULE (CRITICAL PATH METHOD)	LS	1		
2	72005	TRAFFIC MANAGEMENT PLAN	LS	1		
3	74016	CONSTRUCTION SITE MANAGEMENT	LS	1		
4	74019	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	1		
5	74020	WATER POLLUTION CONTROL	LS	1		
6	74041	STREET SWEEPING	LS	1		
7	74056	RAIN EVENT ACTION PLAN	EA	24		
8	74057	STORM WATER ANNUAL REPORT	EA	2		
9	74058	STORM WATER SAMPLING AND ANALYSIS DAY	LS	1		
10	120090	[S] CONSTRUCTION AREA SIGNS	LS	1		
11	120100	[S] TRAFFIC CONTROL SYSTEM	LS	1		
12	120120	[S] TYPE III BARRICADE	EA	50		
13	120149	[S] TEMPORARY PAVEMENT MARKING (PAINT)	SQFT	8,724		
14	120159	[S] TEMPORARY TRAFFIC STRIPE (PAINT)	LF	254,411		
15	120165	[S] CHANNELIZER (SURFACE MOUNTED)	EA	579		
16	120166	[S] CHANNELIZER (SURFACE MOUNTED) (LEFT IN PLACE)	EA	56		
17	120199	[S] TRAFFIC PLASTIC DRUM	EA	358		
18	120300	[S] TEMPORARY PAVEMENT MARKER	EA	7,311		
19	128650	[S] PORTABLE CHANGEABLE MESSAGE SIGN	EA	10		
20	129000	TEMPORARY RAILING (TYPE K)	LF	53,120		
21	129100	TEMPORARY CRASH CUSHION MODULE	EA	268		
22	129100A	[S] TEMPORARY CRASH CUSHION (ABSORB 350)	EA	10		
23	129150	TEMPORARY TRAFFIC SCREEN	LF	16,640		
24	141103	[S] REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE)	LF	8,150		
25	150206	ABANDON CULVERT	EA	18		
26	150221	ABANDON INLET	EA	3		
27	150224	ABANDON MANHOLE	EA	1		
28	150608	[S] REMOVE CHAIN LINK FENCE	LF	8,626		
29	150662	[S] REMOVE METAL BEAM GUARD RAILING	LF	423		
30	150668	REMOVE FLARED END SECTION	EA	1		
31	1506XX	[S] REMOVE DOUBLE THRIE BEAM BARRIER	LF	7,502		
32	150711	[S] REMOVE PAINTED TRAFFIC STRIPE	LF	112,065		
33	150712	[S] REMOVE PAINTED PAVEMENT MARKING	SQFT	1,814		
34	150713	[S] REMOVE PAVEMENT MARKING	SQFT	1,433		
35	150714	[S] REMOVE THERMOPLASTIC TRAFFIC STRIPE	LF	25,000		
36	150722	[S] REMOVE PAVEMENT MARKER	EA	4,576		
37	150744	REMOVE ROADSIDE SIGN (WOOD POST)	EA	48		
38	150745	REMOVE ROADSIDE SIGN (METAL POST)	EA	18		
39	150747	REMOVE ROADSIDE SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	4		
40	150760	[S] REMOVE SIGN STRUCTURE	EA	2		
41	1507XX	[S] REMOVE OVERHEAD SIGN PANEL	EA	1		
42	150805	REMOVE CULVERT	LF	6,489		
43	150820	REMOVE INLET	EA	68		
44	150826	REMOVE MANHOLE	EA	1		
45	150833	REMOVE MASONRY WALL	LF	262		
46	152320	RESET ROADSIDE SIGN	EA	3		

Mark Thomas and Company, Inc.

MTCO		04-CC-4 PM R28.6/T30.4				3-May-11	
		Engineer's Estimate - 65% PS&E					
ITEM NO.	ITEM	DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL	
47	152391	RELOCATE ROADSIDE SIGN (METAL POST)	EA	22			
48	152392	RELOCATE ROADSIDE SIGN (WOOD POST)	EA	18			
49	152393	RELOCATE ROADSIDE SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	1			
50	1524XX	ADJUST PARTIAL INLET TO GRADE	EA	1			
51	152609	MODIFY INLET TO MANHOLE	EA	2			
52	153103	[S] COLD PLANE ASPHALT CONCRETE PAVEMENT	SOYD	20,282			
53	153214	REMOVE CONCRETE CURB	LF	1,702			
54	153215	REMOVE CONCRETE (CURB AND GUTTER)	LF	4,184			
55	153218	REMOVE CONCRETE SIDEWALK	SOFT	23,031			
56	153222A	REMOVE CONCRETE ISLAND	SOFT	6,854			
57	155003	CAP INLET	EA	3			
58	157560	BRIDGE REMOVAL (PORTION)	LS	1			
59	160101	CLEARING AND GRUBBING	LS	1			
60	170101	DEVELOP WATER SUPPLY	LS	1			
61	190101	ROADWAY EXCAVATION	CY	176,273			
62	190140A	TRENCH EXCAVATION/BACKFILL-10" STEEL CASING (4FT TO 6FT DEEP TRENCH)	LF	300			
63	192003	[F] STRUCTURE EXCAVATION (BRIDGE)	CY	501			
64	192037	[F] STRUCTURE EXCAVATION (RETAINING WALL)	CY	8,586			
65	192050	[F] STRUCTURE EXCAVATION (TIEBACK WALL)	CY	1,555			
66	192055	[F] STRUCTURE EXCAVATION (SOIL NAIL WALL)	CY	3,695			
67	193003	[F] STRUCTURE BACKFILL (BRIDGE)	CY	255			
68	193013	[F] STRUCTURE BACKFILL (RETAINING WALL)	CY	6,463			
69	193026	[F] STRUCTURE BACKFILL (TIEBACK WALL)	CY	101			
70	193028	[F] STRUCTURE BACKFILL (SOIL NAIL WALL)	CY	235			
71	197060	[F] SOIL NAIL ASSEMBLY	LF	16,725			
72	203021	FIBER ROLLS	LF	26,363			
73	203031	[S] EROSION CONTROL (HYDROSEED)	SOFT	553,782			
74	208276A	[S] 2" PVC WATER MAIN C900 CLASS 200	LF	160			
75	208279A	[S] 4" PVC WATER MAIN C900 CLASS 200	LF	160			
76	208282A	[S] 45° ELBOW FOR WATER MAIN	EA	2			
77	208282B	[S] 90° ELBOW FOR WATER MAIN	EA	1			
78	208282C	THRUST BLOCK FOR WATER MAIN	EA	1			
79	250401	CLASS 4 AGGREGATE SUBBASE	CY	49,050			
80	260201	CLASS 2 AGGREGATE BASE	CY	5,400			
81	260301	CLASS 3 AGGREGATE BASE	CY	11,922			
82	280000	LEAN CONCRETE BASE	CY	24,576			
83	390131	HOT MIX ASPHALT (TYPE A)	TON	64,952			
84	394074	PLACE HOT MIX ASPHALT DIKE (TYPE C)	LF	437			
85	394048	PLACE HOT MIX ASPHALT DIKE (TYPE E)	LF	6,902			
86	394049	PLACE HOT MIX ASPHALT DIKE (TYPE F)	LF	3,698			
87	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SOYD	24,858			
88	397005	TACK COAT	TON	90			
89	401083	SHOULDER RUMBLE STRIP (CONCRETE PAVEMENT, GROUND-IN INDENTATIONS)	STA	121			
90	490603	[S] 24" CAST-IN-DRILLED-HOLE CONCRETE PILING	LF	588			
91	490614	[S] 78" CAST-IN-DRILLED-HOLE CONCRETE PILING	LF	92			
92	498024	[S] 16" CAST-IN-DRILLED-HOLE CONCRETE PILING (BARRIER)	LF	5,917			
93	498XXX	[S] 24" CAST-IN-DRILLED-HOLE CONCRETE PILING (BARRIER)	LF	61.5			
94	500001	[S] PRESTRESSING CAST-IN-PLACE CONCRETE	LS	1			
95	500050	[F] TIEBACK ANCHOR	EA	333			
96	500060	[F] TIEDOWN ANCHOR	EA	24			

Mark Thomas and Company, Inc.

MTCo		04-CC-4 PM R28.6/T30.4				3-May-11	
		Engineer's Estimate - 65% PS&E					
ITEM NO.	ITEM		DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL
97	510050A	[F]	STRUCTURAL CONCRETE - CLASS 4000psi -1"	CY	100		
98	510051	[F]	STRUCTURAL CONCRETE, BRIDGE FOOTING	CY	178		
99	510053	[F]	STRUCTURAL CONCRETE, BRIDGE	CY	1,177		
100	510060	[F]	STRUCTURAL CONCRETE, RETAINING WALL	CY	5,347		
101	510085	[F]	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE EQ)	CY	30		
102		[F]	JACK SUPERSTRUCTURE	LS	1		
103	510502	[F]	MINOR CONCRETE (MINOR STRUCTURE)	CY	209		
104	510700	[F]	MINOR CONCRETE (PILE CAP)	CY	7		
105	511035	[F]	ARCHITECTURAL TREATMENT	SQFT	45,258		
106	517959A	[S-F]	SOUND WALL (RETAINING WALL) (MASONRY BLOCK)	SQFT	3,535		
107	517961		SOUND WALL (BARRIER) (MASONRY BLOCK)	SQFT	36,551		
108	519100	[F]	JOINT SEAL (MR 2")	LF	133		
109	520102	[F]	BAR REINFORCING STEEL (BRIDGE)	LF	276,569		
110	520103	[F]	BAR REINFORCING STEEL (RETAINING WALL)	LB	887,572		
111	530100	[F]	SHOTCRETE	CY	1,542		
112	540102	[F]	TREAT BRIDGE DECK	SQFT	23,325		
113	560218	[S]	FURNISH SIGN STRUCTURE (TRUSS)	LB	86,700		
114	560219	[S]	INSTALL SIGN STRUCTURE (TRUSS)	LB	86,700		
115	560248		FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	361		
116	560249		FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED)	SQFT	298		
117	560251		FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-FRAMED)	SQFT	94		
118	560252		FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)	SQFT	70		
119	560253		FURNISH FIBERGLASS REINFORCED PLASTIC PANEL SIGN (0.135")	SQFT	60		
120	561016	[S]	60" CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION)	LF	93		
121	562004	[S]	METAL (RAIL MOUNTED SIGN)	LB	525		
122	566011		ROADSIDE SIGN - ONE POST	EA	56		
123	566012		ROADSIDE SIGN - TWO POST	EA	10		
124	566013		ROADSIDE SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	7		
125	568007		INSTALL SIGN OVERLAY	SQFT	60		
126	597602A	[S]	PREPARE AND PAINT POST MILE MARKINGS ON CONCRETE BARRIER	SQFT	39		
127	620101		18" ALTERNATIVE PIPE CULVERT (TYPE A)	LF	3,425		
128	620102		18" ALTERNATIVE PIPE CULVERT (TYPE B)	LF	120		
129	620141		24" ALTERNATIVE PIPE CULVERT (TYPE A)	LF	1,035		
130	620142		24" ALTERNATIVE PIPE CULVERT (TYPE B)	LF	357		
131	620182		30" ALTERNATIVE PIPE CULVERT (TYPE B)	LF	490		
132	641101A		8" PPP WITH FILTER FABRICS (10 mil) IN 3 FT DEEP TRENCH	LF	7,557		
133	641101B		8" PVC COLLECTOR C900 CLASS 200 IN 3 FT DEEP TRENCH	LF	85		
134	641101C		15" PVC COLLECTOR C900 CLASS 200 IN 3 FT DEEP TRENCH	LF	260		
135	650022		30" REINFORCED CONCRETE PIPE	LF	65		
136	650026		36" REINFORCED CONCRETE PIPE	LF	153		
137	650050		72" REINFORCED CONCRETE PIPE	LF	172		
138	650511		18" REINFORCED CONCRETE PIPE (CLASS V)	LF	313		
139	650532		48" REINFORCED CONCRETE PIPE (CLASS V)	LF	221		
140	650548		72" REINFORCED CONCRETE PIPE (CLASS V)	LF	89		
141	655XXX		42" JACKED RCP	LF	316		
142	655XXX		72" JACKED RCP (CLASS V)	LF	94		
143	665017		18" CORRUGATED STEEL PIPE (.079" THICK)	LF	66		
144	680280A		UNDERDRAIN TERMINAL RISER	EA	16		
145	680280B		UNDERDRAIN INTERMEDIATE RISER	EA	18		
146	703450A		10" STEEL CASING	LF	255		

Mark Thomas and Company, Inc.

MTCo		04-CC-4 PM R28.6/T30.4					3-May-11	
		Engineer's Estimate - 65% PS&E						
ITEM NO.	ITEM	DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL		
147	705300	ALTERNATIVE FLARED END SECTION	EA	2				
148	717000	4" SEWER PIPE	LF	155				
149	719200A	MANHOLE (TYPE II) SANITARY SEWER, 6 FT DEEP	EA	1				
150	731501	MINOR CONCRETE (CURB)	LF	3,077				
151	731504	MINOR CONCRETE (CURB AND GUTTER)	LF	3,966				
152	731517	MINOR CONCRETE (GUTTER)	LF	1,305				
153	731521	MINOR CONCRETE (SIDEWALK AND MEDIAN ISLAND PAVING)	SQYD	5,362				
154	731529A	MINOR CONCRETE (CONTRASTING SURFACE TREATMENT)	SQFT	5,584				
155	750001	[F] MISCELLANEOUS IRON AND STEEL	LB	28,528				
156	800302	[S] CHAIN LINK FENCE (TYPE CL-3, VINYL-CLAD)	LF	591				
157	800360	[S] CHAIN LINK FENCE (TYPE CL-6)	LF	714				
158	820107	DELINEATOR (CLASS 1)	EA	26				
159	820118	GUARD RAILING DELINEATOR	EA	101				
160	820119A	CONCRETE BARRIER MARKER	EA	10				
161	820130	OBJECT MARKER	EA	17				
162	832003	[S] METAL BEAM GUARD RAILING (WOOD POST)	LF	4,686				
163	832070	VEGETATION CONTROL (MINOR CONCRETE)	SQYD	1,575				
164	833032	[S-F] CHAIN LINK RAILING (TYPE 7)	LF	495				
165	833142	[F] CONCRETE BARRIER (TYPE 26 MODIFIED)	LF	495				
166	839541	[S] TRANSITION RAILING (TYPE WB)	EA	3				
167	839581	[S] END ANCHOR ASSEMBLY (TYPE SFT)	EA	2				
168	839584	[S] ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	2				
169	839585	[S] ALTERNATIVE FLARED TERMINAL SYSTEM	EA	7				
170	839403A	eBART CONCRETE BARRIER, TYPE A	LF	3,890				
171	839403B	eBART CONCRETE BARRIER, TYPE A (MODIFIED)	LF	1,000				
172	839403C	eBART CONCRETE BARRIER, TYPE B	LF	250				
173	839403D	eBART CONCRETE BARRIER, TYPE C	LF	1,710				
174	839702	CONCRETE BARRIER (TYPE 60A)	LF	466				
175	839704	CONCRETE BARRIER (TYPE 60D)	LF	1,305				
176	839727	CONCRETE BARRIER (TYPE 736 MODIFIED)	LF	5,416				
177	839734A	CONCRETE BARRIER (TYPE 736S)	LF	328				
178	839734	CONCRETE BARRIER (TYPE 736SV)	LF	1,535				
179	840504	[S] 4" THERMOPLASTIC TRAFFIC STRIPE	LF	43,550				
180	840505	[S] 6" THERMOPLASTIC TRAFFIC STRIPE	LF	2,436				
181	840506	[S] 8" THERMOPLASTIC TRAFFIC STRIPE	LF	10,999				
182	840508	[S] 8" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)	LF	9,504				
183	840515	[S] THERMOPLASTIC PAVEMENT MARKING	SQFT	7,281				
184	840521	[S] 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 6-1)	LF	1,034				
185	840526	[S] 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7)	LF	531				
186	840526A	[S] 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 34-14)	LF	49,405				
187	840526B	[S] 6" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 8-4)	LF	449				
188	850101	[S] PAVEMENT MARKER (NON-REFLECTIVE-TYPE A)	EA	4,682				
189	850XXX	[S] PAVEMENT MARKER (NON-REFLECTIVE-TYPE AY)	EA	674				
190	850110	[S] PAVEMENT MARKER (RETROREFLECTIVE-TYPE C)	EA	292				
191	850111	[S] PAVEMENT MARKER (RETROREFLECTIVE-TYPE D)	EA	52				
192	850112	[S] PAVEMENT MARKER (RETROREFLECTIVE-TYPE G)	EA	1,508				
193	850113	[S] PAVEMENT MARKER (RETROREFLECTIVE-TYPE H)	EA	522				
194	860090	[S] MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	1				
195	860251	[S] SIGNAL AND LIGHTING (LOCATION 1)	LS	1				
196	860252	[S] SIGNAL AND LIGHTING (LOCATION 2)	LS	1				

Mark Thomas and Company, Inc.

MTCo		04-CC-4 PM R28.6/T30.4						3-May-11	
		Engineer's Estimate - 65% PS&E							
ITEM NO.	ITEM		DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL		
197	860300	[S]	SIGNAL AND LIGHTING (CITY STREET LOCATION 1)	LS	1				
198	860302	[S]	SIGNAL AND LIGHTING (CITY STREET LOCATION 2)	LS	1				
199	860402	[S]	LIGHTING (CITY STREET)	LS	1				
200	860460	[S]	LIGHTING AND SIGN ILLUMINATION	LS	1				
201	860621A	[S]	TIME USE METER	EA	6				
202	860703	[S]	INTERCONNECTION CONDUIT AND CABLE	LS	1				
203	860705	[S]	COMMUNICATION CONDUIT (FIBER OPTIC)	LS	1				
204	860813A	[S]	VEHICLE SENSOR NODE REPLACEMENT	LS	1				
205	860815A	[S]	EMERGENCY VEHICLE DETECTOR SYSTEM	LS	1				
206	860930A	[S]	TRAFFIC OPERATIONS SYSTEM	LS	1				
207	860970A	[S]	GENERAL PACKET RADIO SYSTEM (GPRS) WIRELESS MODEM ASSEMBLY	EA	3				
208			REINFORCED CONCRETE DUCT BANK, WITH 2-4" CONDUITS (1.5' X 1.0' D)	LF	1,780				
209			REINFORCED CONCRETE DUCT BANK, WITH 6-4" CONDUITS (2.5' X 1.5' D)	LF	4,995				
210			PULL BOX 4' X 6' X 5' DEPTH	EA	20				
211			eBART - MOW ACCESS UC AND RETAINING WALL	LS	1				
212			eBART - POC AT HILLCREST STATION	LS	1				
213			eBART - ENTRY HOUSE AND PLATFORM	LS	1				
214	999990		MOBILIZATION	LS	1				

Mark Thomas and Company, Inc.

ITEM NO.	ITEM	DESCRIPTION	UNIT	ESTIMATED QUANTITY	ITEM PRICE	TOTAL
MTCO 04-CC-4 PM R28.6/T30.4 Engineer's Estimate - 65% PS&E 3-May-11						
SUPPLEMENTAL WORK ITEMS						
215	66070	MAINTAIN TRAFFIC	LS	1		
216	66074	TRAFFIC CONTROL	LS	1		
217	66585	WATER POLLUTION CONTROL MAINTENANCE SHARING	LS	1		
218	66596	ADDITIONAL WATER POLLUTION CONTROL	LS	1		
219	66597	STORM WATER SAMPLING AND ANALYSIS	LS	1		
220	66610	PARTNERING	LS	1		
221	66670	PAYMENT ADJUSTMENTS FOR PRICE INDEX FLUCTUATIONS	LS	1		
222	66846	INCENTIVE FOR HOT MIX ASPHALT (QC/QA)	LS	1		
223	66866	OPERATION OF EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	1		
224	66919	DISPUTE RESOLUTION BOARD	LS	1		
225	66921	DISPUTE RESOLUTION ADVISOR	LS	1		
226	66029A	ADDITIONAL NDT (NONDESTRUCTIVE TESTING) REQUIRED BY THE ENGINEER	LS	1		
227	66083A	REPAIR DAMAGED TEMPORARY CRASH CUSHION MODULES	LS	1		
228	66084A	MOVE SAND FILLED TEMPORARY CRASH CUSHIONS	LS	1		
229		REPLACEMENT OF SCHEDULE SOFTWARE, OR MANUAL	LS	1		
230		SAMPLING, ANALYSES OF SURPLUS EXCAVATED MATERIALS	LS	1		
231		ADDITIONAL EXCAVATION AND BACKFILL BELOW PLANNED ELEVATION OF THE BOTTOM OF THE BEDDING	LS	1		
SUPPLEMENTAL						
STATE FURNISHED MATERIALS						
232	66062	COZEEP CONTRACT	LS	1		
233	66065	TOW TRUCK SERVICE PATROL	LS	1		
234	66105	RESIDENT ENGINEERS OFFICE	EA	1		
235	66843	MODEL 170E CONTROLLER ASSEMBLY (TEMPORARY)	EA	3		
236	66844A	MODEL 2070L CONTROLLER ASSEMBLY	EA	2		
237	66851A	MODEL 332A CONTROLLER CABINET	EA	2		
238	66852	TYPE 334 CONTROLLER CABINET	EA	3		
239	66871	ELECTRICAL SERVICE CONNECTIONS	EA	4		
240	66911	UTILITY CONNECTION FEE (ELECTRIC)	EA	4		
241	66916A	UTILITY CONNECTION FEE (TELEPHONE)	EA	1		
242	511037A	ARCHITECTURAL TREATMENT (DELTA REGION NATIVE LANDSCAPE) 6' x 8' CONCRETE FORM LINER PANEL	LS	1		